

D8 Chief Stix 1gm Preroll Fire OG

Sample ID: HR20230890168	Produced:	Client:
Strain: Fire OG	Collected: 08/14/2023	H H Harvest CO
Matrix: Plant	Received: 08/14/2023	Lic. #
Type: Preroll	Completed: 08/25/2023	924 Chevy Way
Sample Size: ; Batch:	Batch#: PR-D8FOG-1615	Medford, OR 97504




Summary

Test	Date Tested	Result
Batch		Complete
Cannabinoids	08/15/2023	Complete
Moisture	08/15/2023	11.77%

Cannabinoids

Complete



Analyte	LOD	LOQ	Mass	Mass	Mass	Mass
	mg/g	mg/g	%	mg/g	mg/unit	mg/serving
THCa	0.20000	0.61000	ND	ND		
Δ9-THC	0.15000	0.45000	0.25	2.50		
Δ8-THC	0.14000	0.42000	12.13	121.29		
THCV	0.15000	0.44000	ND	ND		
CBDa	0.10000	0.31000	11.59	115.88		
CBD	0.15000	0.45000	4.24	42.44		
CBDV	0.13000	0.40000	ND	ND		
CBN	0.16000	0.50000	ND	ND		
CBGa	0.29000	0.88000	0.59	5.93		
CBG	0.13000	0.39000	ND	ND		
CBC	0.14000	0.42000	ND	ND		
CBL	0.17000	0.53000	ND	ND		
Total THC			0.25	2.50	0.00	0.00
Total CBD			14.41	144.07		
Total			27.31	273.06	0.00	0.00

Determination of Cannabinoids by HPLC, HL223

Total THC = Δ9-THCa * 0.877 + Δ9-THC

Total CBD = CBDa * 0.877 + CBD

ND = Not Detected; NR = Not Reported; LOD = Limit of Detection; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory, HL105.10-01. Cannabinoid Testing: Pass/Fail decision determined by Department of Cannabis Control CCR title 4 Division 19 §15724. Water activity testing: Pass/Fail decision determined by Department of Cannabis Control CCR title 4 Division 19 §15717.



Ming

Ming Li - General Manager
08/25/2023

Confident Cannabis
All Rights Reserved
support@confidentcannabis.com
(866) 506-5866
www.confidentcannabis.com



ISO 17025 accredited by A2LA (Certificate No: 4074.01 & 4074.02). Sampling Procedure: SOP HL 110.2; Foreign Material: UV light/Microscope SOP HL 323, SOP HL 324; Water Activity: Water Activity Meter SOP HL 238; Moisture: Drying Oven SOP HL217.1; All LQC ran in accordance with 4 CCR sec. 15730. This product has been tested by Harrens Lab Inc. using valid testing methodologies and a quality system as required by state law. Values reported relate only to the product tested. Harrens Lab Inc. makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Harrens Lab Inc.