

## D8 Chief Stix 1 gm Preroll Gorilla Glue

<b>Sample ID:</b> HR20230890295	<b>Produced:</b>	<b>Client:</b>
<b>Strain:</b> Gorilla Glue	<b>Collected:</b> 08/22/2023	<b>H H Harvest CO</b>
<b>Matrix:</b> Plant	<b>Received:</b> 08/22/2023	<b>Lic. #</b>
<b>Type:</b> Flower - Cured	<b>Completed:</b> 08/25/2023	<b>924 Chevy Way</b>
<b>Sample Size:</b> ; Batch:	<b>Batch#:</b> PR-D8GG-1613	<b>Medford, OR 97504</b>




### Summary

<b>Test</b>	<b>Date Tested</b>	<b>Result</b>
<b>Batch</b>		<b>Complete</b>
<b>Cannabinoids</b>	08/22/2023	<b>Complete</b>
<b>Moisture</b>	08/22/2023	<b>11.81%</b>

### Cannabinoids

Complete



Analyte	LOD	LOQ	Mass	Mass
	mg/g	mg/g	%	mg/g
THCa	0.20000	0.61000	ND	ND
Δ9-THC	0.15000	0.45000	0.27	2.68
Δ8-THC	0.14000	0.42000	7.73	77.26
THCV	0.15000	0.44000	ND	ND
CBDa	0.10000	0.31000	10.79	107.93
CBD	0.15000	0.45000	3.03	30.29
CBDV	0.13000	0.40000	ND	ND
CBN	0.16000	0.50000	ND	ND
CBGa	0.29000	0.88000	0.28	2.80
CBG	0.13000	0.39000	ND	ND
CBC	0.14000	0.42000	ND	ND
CBL	0.17000	0.53000	ND	ND
<b>Total THC</b>			<b>0.27</b>	<b>2.68</b>
<b>Total CBD</b>			<b>12.49</b>	<b>124.94</b>
<b>Total</b>			<b>20.73</b>	<b>207.34</b>

Determination of Cannabinoids by HPLC, HL223

Total THC = Δ9-THCa \* 0.877 + Δ9-THC

Total CBD = CBDa \* 0.877 + CBD

ND = Not Detected; NR = Not Reported; LOD = Limit of Detection; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. HL105.10-01. Cannabinoid Testing: Pass/Fail decision determined by Department of Cannabis Control CCR title 4 Division 19 §15724. Water activity testing: Pass/Fail decision determined by Department of Cannabis Control CCR title 4 Division 19 §15717.



*Ming Li*

Ming Li - General Manager  
08/25/2023

Confident Cannabis  
All Rights Reserved  
support@confidentcannabis.com  
(866) 506-5866  
www.confidentcannabis.com



ISO 17025 accredited by A2LA (Certificate No: 4074.01 & 4074.02). Sampling Procedure: SOP HL 110.2; Foreign Material: UV light/Microscope SOP HL 323, SOP HL 324; Water Activity: Water Activity Meter SOP HL 238; Moisture: Drying Oven SOP HL217.1; All LQC ran in accordance with 4 CCR sec. 15730. This product has been tested by Harrens Lab Inc. using valid testing methodologies and a quality system as required by state law. Values reported relate only to the product tested. Harrens Lab Inc. makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Harrens Lab Inc.